	DISCOVERY SITE EVAL	LUATION CHECKLIST				
1.	WIDS Site Code/Subsite Code: 600-289					
2.	Prepared and Reviewed By:					
	WIDS Analyst (print)	Signature		2/2015 Date		
	Fred A. Ruck WIDS Regulatory SME (print)	10/9/ well	21/1 7/2	2115		
3.	Comment:	Signature		Date		
	The site consists of an area containing various containers have labels indicating potential potential asbestos containing material. The facility and of the Patrol Training Academy west of 663.	l hazardous contents. The site is located northy	nere is an are	ea of		
4.	Is the site a Solid Waste Management Unit?			⊠ Yes		
	Any discernible location at the Facility where solid wastes have been placed at any time, irrespective of whether the location was intended for the management of solid or dangerous waste, and includes any area at the Facility at which solid wastes have been routinely and systematically released (for example through spills), and includes dangerous waste treatment, storage, and disposal units.					
5.	Does the site need to be addressed under a regulatory program? Check first item that applies.					
	General Description (see TPA-MP-14 for definitions)	Unit Category	Classification	Check Here		
	Site specifically exempted from WIDS based on section 2.0 of TPA-MP-14	Not Applicable	Not Accepted			
	Permitted RCRA TSD that will be addressed under a RCRA/CERCLA Coordination	RCRA/CERCLA Coordination TSD	Accepted			
	Permitted RCRA TSD	RCRA TSD	Accepted			
	Waste site that will be addressed as part of the closure of a RCRA TSD	RCRA TSD Related	Accepted			
	Waste disposal unit or unplanned release unit where radioactive or dangerous waste is present or possibly present	CERCLA Remedial/Removal Action	Accepted			
	Inert waste or limited purpose landfill (WAC 173-350-410 or WAC 173-350-400)	Inert Waste or Limited Purpose Landfill	Accepted			
	Solid waste landfill (WAC 173-350)	Solid Waste Landfill	Accepted			

DISCOVERY SITE EVALUATION CHECKLIST						
	Petroleum UST or contaminated soil from a petroleum UST leak (WAC 173-360)	Petroleum UST	Accepted			
	Underground injection well that received noncontaminated effluent (e.g., storm water runoff, steam condensate, air conditioner condensate) (WAC 173-218)	Underground Injection Control Well	Accepted			
	Other liquid disposal site with a State waste discharge permit (WAC 173-216)	State Waste Discharge	Accepted			
	Septic system for which there is no expectation of radioactive or dangerous waste discharge (WAC 246-272 or WAC 246-272B)	Septic	Accepted			
6.	Assign the site to an operable unit or waste managem Applicable' if neither applies.	ent area. Write 'Not	TBD			
7. 8.	Ecology and EPA Approvals: Ecology Project Manager (print) EPA Project Manager (print) Signature Signature Date 7/27//5 Date Are any other activities needed or desired at the site? Only answer if no items in question 5 were checked.					
	Check first item that applies. General Description	Unit Category	Classification	Check Here		
	A location where remediation is not needed, but debris removal or other miscellaneous restoration activities may be performed	Miscellaneous Restoration	Accepted			
	A location where no remediation, miscellaneous restoration, permit closure or other physical (e.g., waste site remediation) or administrative (e.g., permit closure) activity is needed	Not Applicable	Not Accepted			
9.	DOE Approval: Office Approval: DOE Federal Project Director (print)	Maralus	7/2	2/15 ate		